NSN 6105-00-583-3072

Direct Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-583-3072

Overall Height:
26.500 inches
Overall Length:
44.063 inches
Overall Width:
32.188 inches
Keyway Width:
0.5000 inches identical ends
Keyway Depth:
0.3750 inches identical ends
Shaft Diameter:
2.2500 inches first end
Duty Cycle:
Continuous
Inclosure Feature:
Watertight
Winding Type:
Compound wound
Mounting Method:
Fixed base
Mounting Facility Type And Quantity:
4 unthreaded hole
Cooling Method:
Self-ventilated
Current Rating Method:
Load
Inclosure Specificationification:
Mil-std-108
Features Provided:
Vertical mounting position
Power Rating:
30.0000 horsepower output
Length Of Shaft From Housing:
7.688 inches first end
Center To Center Distance Between Mounting Facilities Parallel To Length:
13.250 inches
Tempurature Rating:
75.0 ambient degrees celsius and 40.0 operating degrees celsius
Rotor Speed Rating In Rpm:
1800.0 single full load
Center To Center Distance Between Mounting Facilities Parallel To Width:
23.250 inches

NSN 6105-00-583-3072

Direct Current Motor - Page 2 of 2



Current Rating In Amps:

222.000 single input

Connection Type And Voltage Rating In Volts:

115.0 line to neutral single input

Test Data Document:

81349-mil-m-17413 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Shelf Life:**

N/a

Unit Of Measure:

Demilitarization: No Fiig: A271a0 Mil-std (military Standard): Mil-std-108 spec.