NSN 6105-00-583-9063

Direct Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-583-9063

| Overall Height: |
|---|
| 1.800 inches |
| Overall Length: |
| 2.577 inches |
| Overall Width: |
| 1.530 inches |
| Shaft Diameter: |
| 0.1870 inches single end |
| Teeth Quantity: |
| 15 single end |
| Maximum Operating Altitude Rating: |
| 65000.0 feet |
| Shaft Rotation Direction: |
| Clockwise single end or counterclockwise single end |
| Duty Cycle: |
| Intermittent |
| Inclosure Feature: |
| Explosion proof |
| Winding Type: |
| Series wound |
| Mounting Method: |
| Face |
| Mounting Facility Type And Quantity: |
| 2 threaded hole |
| Time Interval: |
| 3.0 minutes on and 17.0 minutes off |
| Cooling Method: |
| Natural convection ventilated |
| Current Rating Method: |
| Load |
| Inclosure Specificationification: |
| Commercial |
| Features Provided: |
| Horizontal mounting position and vertical mounting position |
| Power Rating: |
| 0.0400 horsepower output |
| Length Of Shaft From Housing: |
| 0.347 inches single end |
| Tempurature Rating: |
| -53.9 operating degrees celsius and 107.2 operating degrees celsius |
| Mounting Facility Circle Diameter: |

1.000 inches

NSN 6105-00-583-9063

Direct Current Motor - Page 2 of 2



| Rotor Speed Rating In Rpm: |
|--|
| 20900.0 single full load |
| Current Rating In Amps: |
| 1.900 single input |
| Connection Type And Voltage Rating In Volts: |
| 27.0 line to neutral single input |
| Shaft End Characteristic: |
| A23 single style single end |
| Terminal Type And Quantity: |
| 4 wire lead |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |

Fiig: A271a0