

View Online at <https://aerobasegroup.com/nsn/6105-00-624-3258>

**Overall Height:**

22.500 inches

**Overall Length:**

31.250 inches

**Overall Width:**

23.750 inches

**Thread Length:**

0.7500 inches single end

**Taper Length:**

4.2500 inches single end

**Keyway Width:**

0.5000 inches single end

**Keyway Depth:**

0.2500 inches single end

**Shaft Diameter:**

2.1250 inches single end

**Shaft Rotation Direction:**

Clockwise single end or counterclockwise single end

**Duty Cycle:**

Continuous

**Inclosure Feature:**

Dripproof-15 deg

**Winding Type:**

Induction-squirrel cage

**Mounting Method:**

Fixed base

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Cooling Method:**

Nonventilated

**Current Rating Method:**

Load

**Bearing Type:**

Annular ball

**Features Provided:**

Horizontal mounting position

**Power Rating:**

75.0000 horsepower output

**Thread Size:**

0.500 inches single end

**Taper:**

0.750 per foot in inches single end

**Length Of Shaft From Housing:**

4.875 inches single end

**Shaft Center To Mounting Surface Distance:**

10.000 inches single end

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

13.750 inches

**Temperature Rating:**

50.0 operating degrees celsius

**Rotor Speed Rating In Rpm:**

1800.0 single no load and 1760.0 single full load

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

16.000 inches

**Current Rating In Amps:**

103.000 single input

**Connection Type And Voltage Rating In Volts:**

440.0 line to neutral single input

**Shaft End Characteristic:**

A3 first style single end and a29 second style single end

**Phase:**

Three input

**Frequency In Hertz:**

60.0 input

**Test Data Document:**

81349-mil-m-17060a specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Unc single end

**Terminal Type And Quantity:**

3 solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A271a0