NSN 6105-00-635-0209

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-635-0209

Overall Height:			
2.500 inches			
liilength:			
4.320 inches			
Overall Width:			
2.750 inches			
Shaft Diameter:			
0.250 inches single end			
Flatted Portion Length:			
1.380 inches single end			
Flat Depth:			
0.020 inches single end			
Shaft Rotation Direction:			
Clockwise single end or counterclockwise single end			
Duty Cycle:			
Continuous			
Inclosure Feature:			
Totally enclosed			
Winding Type:			
Induction-squirrel cage			
Mounting Method:			
Face			
Mounting Facility Type And Quantity:			
Mounting Facility Type And Quantity: 4 threaded hole			
4 threaded hole			
4 threaded hole Cooling Method:			
4 threaded hole Cooling Method: Nonventilated			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification:			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification: Commercial			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification: Commercial Features Provided:			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating:			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 0.040 horsepower output			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 0.040 horsepower output Length Of Shaft From Housing:			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 0.040 horsepower output Length Of Shaft From Housing: 0.880 inches single end			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 0.040 horsepower output Length Of Shaft From Housing: 0.880 inches single end Tempurature Rating:			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 0.040 horsepower output Length Of Shaft From Housing: 0.880 inches single end Tempurature Rating: -54.0 operating degrees celsius and 70.0 operating degrees celsius			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 0.040 horsepower output Length Of Shaft From Housing: 0.880 inches single end Tempurature Rating: -54.0 operating degrees celsius and 70.0 operating degrees celsius Mounting Facility Circle Diameter:			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 0.040 horsepower output Length Of Shaft From Housing: 0.880 inches single end Tempurature Rating: -54.0 operating degrees celsius and 70.0 operating degrees celsius Mounting Facility Circle Diameter: 1.250 inches			
4 threaded hole Cooling Method: Nonventilated Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 0.040 horsepower output Length Of Shaft From Housing: 0.880 inches single end Tempurature Rating: -54.0 operating degrees celsius and 70.0 operating degrees celsius Mounting Facility Circle Diameter: 1.250 inches Rotor Speed Rating In Rpm:			

NSN 6105-00-635-0209

Alternating Current Motor - Page 2 of 2



Shaft	End	Chara	cteristic

A5 single style single end

Phase:

Three input

Frequency In Hertz:

60.0 input

Terminal Type And Quantity:

4 solderless lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A271a0