Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-635-2205

Overall Height:
25.250 inches
Overall Length:
35.250 inches
Overall Width:
24.875 inches
Thread Length:
0.5000 inches single end
Taper Length:
2.0000 inches single end
Keyway Width:
1.5000 inches single end
Keyway Depth:
0.1875 inches single end
Shaft Diameter:
1.5000 inches single end
Keyway Length:
1.5000 inches single end
Shaft Rotation Direction:
Clockwise single end or counterclockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
Totally enclosed
Winding Type:
Induction-squirrel cage
Mounting Method:
Flange
Mounting Facility Type And Quantity:
8 unthreaded hole
Cooling Method:
Fan cooled
Current Rating Method:
Load
Inclosure Specificationification:
Mil-std-108
Bearing Type:
Annular ball
Features Provided:
Vertical mounting position
Thready Qty Per Inch (tpi):
18 single end

# NSN 6105-00-635-2205

Alternating Current Motor - Page 2 of 2



#### **Power Rating:**

15.0000 horsepower output

# Thread Size:

0.562 inches single end

# Taper:

0.750 per foot in inches single end

# Length Of Shaft From Housing:

3.000 inches single end

#### **Tempurature Rating:**

50.0 operating degrees celsius and 40.0 ambient degrees celsius

#### Mounting Facility Circle Diameter:

16.000 inches

#### **Rotor Speed Rating In Rpm:**

1200.0 single no load and 1140.0 single full load

#### **Current Rating In Amps:**

21.000 single input

#### Connection Type And Voltage Rating In Volts:

440.0 line to neutral single input

### Shaft End Characteristic:

A2 first style single end and a29 second style single end

Phase:

Three input Frequency In Hertz:

i requeriey in rier

60.0 input

#### **Test Data Document:**

81349-mil-m-17060a specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Thread Series Designator:**

Unf single end

Terminal Type And Quantity:

3 solder lug

Shelf Life:

N/a

Unit Of Measure:

--

```
Demilitarization:
```

No

Fiig:

A271a0

Mil-std (military Standard):

Mil-std-108 spec.