NSN 6105-00-635-2229

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-635-2229 **Overall Height:** 20.500 inches **Overall Length:** 23.125 inches **Overall Width:** 20.000 inches Thread Length: 0.5000 inches single end **Taper Length:** 1.1250 inches single end **Keyway Width:** 0.1880 inches single end **Keyway Depth:** 0.0940 inches single end **Shaft Diameter:** 0.7190 inches single end **Keyway Length:** 1.0620 inches single end **Shaft Rotation Direction:** Clockwise single end or counterclockwise single end **Duty Cycle:** Continuous **Inclosure Feature:** Dripproof protected-45 deg Winding Type: Induction-squirrel cage **Mounting Method:** Flange **Mounting Facility Type And Quantity:** 4 unthreaded hole **Cooling Method:** Fan cooled **Inclosure Specificationification:** Mil-std-108 **Bearing Type:** Annular ball **Features Provided:** Vertical mounting position **Power Rating:** 10.0000 horsepower output

Thread Size:

0.500 inches single end

NSN 6105-00-635-2229

Alternating Current Motor - Page 2 of 2



Taper:
0.625 per foot in inches single end
Length Of Shaft From Housing:
2.500 inches single end
Tempurature Rating:
50.0 operating degrees celsius and 40.0 ambient degrees celsius
Mounting Facility Circle Diameter:
14.750 inches
Rotor Speed Rating In Rpm:
1740.0 single full load
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A2 first style single end and a29 second style single end
Phase:
Three input
Frequency In Hertz:
60.0 input
Thread Series Designator:
Unf single end
Terminal Type And Quantity:
3 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A271a0
Mil-std (military Standard):
Mil-std-108 spec.