NSN 6105-00-635-2345

Direct Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-635-2345 **Overall Height:** 34.375 inches **Overall Length:** 50.062 inches **Overall Width:** 42.875 inches **Keyway Width:** 0.6250 inches single end **Keyway Depth:** 0.3120 inches single end **Shaft Diameter:** 2.7500 inches single end **Keyway Length:** 3.5620 inches single end **Shaft Rotation Direction:** Clockwise single end or counterclockwise single end **Duty Cycle:** Continuous **Inclosure Feature:** Dripproof-15 deg Winding Type: Shunt wound w/commutating poles-stabilizing windings **Mounting Method:** Fixed base **Mounting Facility Type And Quantity:** 4 unthreaded hole **Cooling Method:** Self-ventilated **Current Rating Method:** Load **Inclosure Specificationification:** Mil-std-108 **Features Provided:** Vertical mounting position Frame Size Designation: 1531 **Power Rating:** 91.5000 horsepower output **Length Of Shaft From Housing:**

6.000 inches single end

Shaft Center To Mounting Surface Distance:

17.750 inches single end

NSN 6105-00-635-2345

Direct Current Motor - Page 2 of 2



Center To Center Distance Between Mounting Facilities Parallel To Length: 17.250 inches Tempurature Rating: 65.0 ambient degrees celsius and 50.0 operating degrees celsius Rotor Speed Rating In Rpm: 1600.0 single full load Center To Center Distance Between Mounting Facilities Parallel To Width: 26.000 inches Current Rating In Amps: 320.000 single input Connection Type And Voltage Rating In Volts:

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No **Fiig:**

A271a0

Mil-std (military Standard):

240.0 line to neutral single inputShaft End Characteristic:A9 single style single end

Mil-std-108 spec.