NSN 6105-00-635-5386

Direct Current Motor - Page 1 of 2

4 solder lug



View Online at https://aerobasegroup.com/nsn/6105-00-635-5386

| Overall Length: |
|---|
| 2.594 inches |
| Overall Width: |
| 1.187 inches |
| Shaft Diameter: |
| 0.124 inches single end |
| Maximum Operating Altitude Rating: |
| 50000.0 feet |
| Shaft Rotation Direction: |
| Counterclockwise single end |
| Duty Cycle: |
| Continuous |
| Inclosure Feature: |
| Open |
| Winding Type: |
| Permanent magnet |
| Mounting Method: |
| Clamp ring |
| Mounting Facility Type And Quantity: |
| 1 clamp collar |
| Cooling Method: |
| Natural convection ventilated |
| Current Rating Method: |
| Load |
| Inclosure Specificationification: |
| Commercial |
| Features Provided: |
| Frame electrically grounded and horizontal mounting position and vertical mounting position |
| Length Of Shaft From Housing: |
| 0.875 inches single end |
| Tempurature Rating: |
| -65.0 operating degrees celsius and 85.0 operating degrees celsius |
| Rotor Speed Rating In Rpm: |
| 10000.0 single full load |
| Current Rating In Amps: |
| 0.500 single input |
| Connection Type And Voltage Rating In Volts: |
| 24.0 line to neutral low input or 29.0 line to neutral high input |
| Shaft End Characteristic: |
| A1 single style single end |
| Terminal Type And Quantity: |

NSN 6105-00-635-5386

Direct Current Motor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A271a0