NSN 6105-00-635-5865

Direct Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-635-5865

| Overall Height: |
|---|
| 28.375 inches |
| Overall Length: |
| 36.813 inches |
| Overall Width: |
| 27.313 inches |
| Step Diameter: |
| 1.5000 inches single end |
| Shaft Diameter: |
| 1.500 inches single end and 2.000 inches single end |
| Shaft Rotation Direction: |
| Clockwise single end or counterclockwise single end |
| Duty Cycle: |
| Continuous |
| Inclosure Feature: |
| Dripproof-15 deg |
| Winding Type: |
| Compound wound |
| Mounting Method: |
| Fixed base |
| Mounting Facility Type And Quantity: |
| 4 unthreaded hole |
| Cooling Method: |
| Self-ventilated |
| Current Rating Method: |
| Load |
| Inclosure Specificationification: |
| Mil-std-108 |
| Features Provided: |
| Vertical mounting position |
| Power Rating: |
| 20.0000 horsepower output |
| Length Of Shaft From Housing: |
| 7.438 inches single end |
| Shaft Center To Mounting Surface Distance: |
| 12.000 inches single end |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 12.000 inches |
| Tempurature Rating: |
| 40.0 operating degrees celsius |
| Rotor Speed Rating In Rpm: |
| 690.0 single full load |
| |

NSN 6105-00-635-5865

Direct Current Motor - Page 2 of 2



Center To Center Distance Between Mounting Facilities Parallel To Width:

19.250 inches

Current Rating In Amps:

73.500 single input

Connection Type And Voltage Rating In Volts:

230.0 line to neutral single input

Shaft End Characteristic:

A9 first style single end and a12 second style single end

Terminal Type And Quantity:

6 solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A271a0

Mil-std (military Standard):

Mil-std-108 spec.