NSN 6105-00-635-6030

Alternating Current Motor - Page 1 of 2



The manifest of ago to a 2	aroup
View Online at https://aerobasegroup.com/nsn/6105-00-635-6030	
Overall Height:	
13.500 inches	
Overall Length:	
21.000 inches	
Overall Width:	
10.938 inches	
Thread Length:	
0.7500 inches single end	
Step Diameter:	
0.6880 inches single end	
Keyway Width:	
0.1880 inches single end	
Keyway Depth:	
0.0940 inches single end	
Shaft Diameter:	
0.8750 inches single end	
Shaft Rotation Direction:	
Clockwise single end or counterclockwise single end	
Duty Cycle:	
Intermittent	
Inclosure Feature:	
Dripproof-15 deg	
Winding Type:	
Induction-squirrel cage	
Mounting Method:	
Fixed base	
Mounting Facility Type And Quantity:	
4 unthreaded hole	
Time Interval:	
1.0 hours on	
Cooling Method:	
Natural convection ventilated	
Inclosure Specificationification:	
Mil-std-108	
Features Provided:	

Horizontal mounting position

Power Rating:

7.5000 horsepower output

Thread Size:

0.500 inches single end

Length Of Shaft From Housing:

6.625 inches single end

NSN 6105-00-635-6030

Mil-std-108 spec.

Alternating Current Motor - Page 2 of 2



Shaft Center To Mounting Surface Distance:
5.500 inches single end
Center To Center Distance Between Mounting Facilities Parallel To Length:
7.500 inches
Tempurature Rating:
50.0 operating degrees celsius
Rotor Speed Rating In Rpm:
3360.0 single full load
Center To Center Distance Between Mounting Facilities Parallel To Width:
9.000 inches
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A2 first style single end and a9 second style single end and a12 third style single end
Phase:
Three input
Frequency In Hertz:
60.0 input
Thread Series Designator:
Unc single end
Terminal Type And Quantity:
3 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A271a0
Mil-std (military Standard):