NSN 6105-00-635-6344

Alternating Current Motor - Page 1 of 2



Overall Height:
18.000 inches
Overall Length:
41.937 inches
Overall Width:
27.437 inches
Keyway Width:
0.5000 inches single end
Keyway Depth:
0.2500 inches single end
Shaft Diameter:
2.1250 inches single end
Shaft Rotation Direction:
Clockwise single end or counterclockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
Totally enclosed
Winding Type:
Induction-squirrel cage
Mounting Method:
Flange
Mounting Facility Type And Quantity:
4 unthreaded hole
Cooling Method:
Natural convection ventilated
Inclosure Specificationification:
Mil-std-108
Features Provided:
Horizontal mounting position
Power Rating:
30.0000 horsepower output
Length Of Shaft From Housing:
4.500 inches single end
Tempurature Rating:
50.0 operating degrees celsius and 45.0 ambient degrees celsius
Mounting Facility Circle Diameter:
16.000 inches
Rotor Speed Rating In Rpm:
1775.0 single full load
Connection Type And Voltage Rating In Volts:

440.0 line to neutral single input

NSN 6105-00-635-6344

Mil-std (military Standard):

Mil-std-108 spec.

Alternating Current Motor - Page 2 of 2



Shaft End Characteristic:
A9 single style single end
Phase:
Three input
Frequency In Hertz:
60.0 input
Test Data Document:
81349-mil-m-17060a specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A271a0