## NSN 6105-00-724-9472

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-724-9472 **Overall Height:** 25.250 inches **Overall Length:** 30.562 inches **Overall Width:** 27.250 inches Thread Length: 0.6250 inches single end **Taper Length:** 2.0000 inches single end **Keyway Width:** 0.5000 inches single end **Keyway Depth:** 0.2500 inches single end **Shaft Diameter:** 1.8750 inches single end **Keyway Length:** 2.0000 inches single end **Shaft Rotation Direction:** Clockwise single end or counterclockwise single end **Duty Cycle:** Continuous **Inclosure Feature:** Dripproof protected-15 deg Winding Type: Induction-squirrel cage **Mounting Method:** Fixed base **Mounting Facility Type And Quantity:** 4 unthreaded hole **Cooling Method:** Self-ventilated **Current Rating Method:** Load **Inclosure Specificationification:** Commercial **Features Provided:** Horizontal mounting position Thready Qty Per Inch (tpi): 12 single end **Power Rating:** 

120.0000 horsepower output

## **NSN 6105-00-724-9472**Alternating Current Motor - Page 2 of 2



Thread Size:
1.125 inches single end
Taper:
0.625 per foot in inches single end
Length Of Shaft From Housing:
3.438 inches single end
Shaft Center To Mounting Surface Distance:
12.500 inches single end
Center To Center Distance Between Mounting Facilities Parallel To Length:
18.000 inches
Tempurature Rating:
50.0 operating degrees celsius
Rotor Speed Rating In Rpm:
3550.0 single full load
Center To Center Distance Between Mounting Facilities Parallel To Width:
20.000 inches
Current Rating In Amps:
145.000 single input
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A2 first style single end and a29 second style single end
Phase:
Three input
Frequency In Hertz:
60.0 input
Thread Series Designator:
Unf single end
Terminal Type And Quantity:
3 solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A271a0