NSN 6105-00-823-2172

Alternating Current Motor - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/6105-00-823-2172 |
|---|
| Overall Height: |
| 29.625 inches |
| Overall Length: |
| 41.250 inches |
| Overall Width: |
| 28.000 inches |
| Keyway Width: |
| 0.5000 inches single end |
| Keyway Depth: |
| 0.2500 inches single end |
| Shaft Diameter: |
| 2.1250 inches single end |
| Keyway Length: |
| 5.7500 inches single end |
| Shaft Rotation Direction: |
| Clockwise single end or counterclockwise single end |
| Duty Cycle: |
| Continuous |
| Inclosure Feature: |
| Dripproof-15 deg |
| Winding Type: |
| Induction-squirrel cage |
| Mounting Method: |
| Flange |
| Mounting Facility Type And Quantity: |
| 8 unthreaded hole |
| Cooling Method: |
| Natural convection ventilated |
| Current Rating Method: |
| Load |
| Inclosure Specificationification: |
| Mil-std-108 |
| Features Provided: |
| Horizontal mounting position |
| Power Rating: |

100.0000 horsepower output

Length Of Shaft From Housing:

5.750 inches single end

Tempurature Rating:

50.0 operating degrees celsius

Mounting Facility Circle Diameter:

8.125 inches

NSN 6105-00-823-2172

Alternating Current Motor - Page 2 of 2



Rotor Speed Rating In Rpm: 1800.0 single no load and 1765.0 single full load Current Rating In Amps:

120.000 single input

Connection Type And Voltage Rating In Volts:

440.0 line to neutral single input

Shaft End Characteristic:

A9 single style single end

Phase:

Three input

Frequency In Hertz:

60.0 input

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A271a0

Mil-std (military Standard):

Mil-std-108 spec.