Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-903-2014

Overall Height:	
20.062 inches	
Overall Length:	
37.562 inches	
Overall Width:	
15.875 inches	
Shaft Rotation Direction:	
Counterclockwise second end	
Duty Cycle:	
Continuous	
Inclosure Feature:	
Dripproof protected-45 deg	
Winding Type:	
Induction-squirrel cage	
Mounting Method:	
Fixed base	
Mounting Facility Type And Quantity:	
4 unthreaded hole	
Cooling Method:	
Natural convection ventilated	
Current Rating Method:	
Load	
Inclosure Specificationification:	
Mil-std-108	
Bearing Type:	
Annular ball	
Features Provided:	
Horizontal mounting position	
Power Rating:	
20.0000 horsepower output	
Length Of Shaft From Housing:	
8.000 inches second end	
Center To Center Distance Between Mounting Facilities Parallel To Length:	
12.000 inches	
Tempurature Rating:	
50.0 operating degrees celsius	
Rotor Speed Rating In Rpm:	
3600.0 single no load and 3515.0 single full load	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
12.500 inches	
Current Rating In Amps:	
24.720 single input	

Alternating Current Motor - Page 2 of 2



Connection Type And Voltage Rating In Volts:

440.0 line to neutral single input

Phase:

Three input

Frequency In Hertz:

60.0 input

Test Data Document:

81349-mil-m-17060 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A271a0

Mil-std (military Standard):

Mil-std-108 spec.