NSN 6105-00-903-4903

Alternating Current Motor - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/6105-00-903-4903 |
|---|
| Overall Height: |
| 7.310 inches |
| Overall Length: |
| 10.710 inches |
| Overall Width: |
| 6.500 inches |
| Keyway Width: |
| 0.1880 inches single end |
| Keyway Depth: |
| 0.0940 inches single end |
| Shaft Diameter: |
| 0.6250 inches single end |
| Keyway Length: |
| 1.3750 inches single end |
| Shaft Rotation Direction: |
| Clockwise single end |
| Duty Cycle: |
| Continuous |
| Inclosure Feature: |
| Dripproof protected-15 deg |
| Winding Type: |
| Induction-single value capacitor split phase |
| Mounting Method: |
| Fixed base |
| Mounting Facility Type And Quantity: |
| 4 slot |
| Cooling Method: |
| Self-ventilated Self-ventilated |
| Inclosure Specificationification: |
| Nema |
| Features Provided: |
| Horizontal mounting position and vertical mounting position |
| Frame Size Designation: |
| 56 |
| Power Rating: |
| 0.3333 horsepower output |
| Length Of Shaft From Housing: |

1.880 inches single end

Shaft Center To Mounting Surface Distance:

3.500 inches single end

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.000 inches

NSN 6105-00-903-4903

Fiig: A271a0

Alternating Current Motor - Page 2 of 2



| Tempurature Rating: |
|---|
| 40.0 operating degrees celsius |
| Rotor Speed Rating In Rpm: |
| 1725.0 single full load |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 4.875 inches |
| Connection Type And Voltage Rating In Volts: |
| 115.0 line to neutral first multiple input or 230.0 line to neutral second multiple input |
| Shaft End Characteristic: |
| A9 single style single end |
| Phase: |
| Single input |
| Special Features: |
| Solid cradle base mounted |
| Frequency In Hertz: |
| 60.0 input |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |