NSN 6105-00-933-1760

Direct Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-933-1760

| Overall Height: |
|---|
| 2.250 inches |
| Overall Length: |
| 4.500 inches |
| Overall Width: |
| 2.250 inches |
| Shaft Diameter: |
| 0.249 inches single end and 0.250 inches single end |
| Flatted Portion Length: |
| 0.5000 inches single end |
| Flat Depth: |
| 0.0250 inches single end |
| Shaft Rotation Direction: |
| Clockwise single end or counterclockwise single end |
| Duty Cycle: |
| Intermittent |
| Specific Use: |
| Capstan motor |
| Mounting Method: |
| Face |
| Mounting Facility Type And Quantity: |
| 4 threaded hole |
| Current Rating Method: |
| No load |
| Torque Rating And Type: |
| 13.0 inch-ounces starting |
| Inclosure Specificationification: |
| Commercial |
| Features Provided: |
| Vertical mounting position and horizontal mounting position |
| Length Of Shaft From Housing: |
| 0.750 inches single end |
| Mounting Facility Circle Diameter: |
| 1.750 inches |
| Connection Type And Voltage Rating In Volts: |
| 27.0 line to neutral single input |
| Shaft End Characteristic: |
| A5 single style single end |
| Special Features: |

2 wire lead

Shaft w/2 flats at 90 degrees included angle

Terminal Type And Quantity:

NSN 6105-00-933-1760

Direct Current Motor - Page 2 of 2



| - | | | |
|----|----|-----|------|
| ٠. | hΔ | Iŧ. | ife: |
| | | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A271a0