

NSN 6105-01-045-1856 Alternating Current Motor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6105-01-045-1856 **Overall Width:** 7.250 inches **Thread Length:** 0.9062 inches single end **Hole Diameter:** 0.0937 inches single end **Step Diameter:** 0.624 inches single end and 0.625 inches single end Step Length: 1.4375 inches single end **Keyway Width:** 0.1875 inches single end **Keyway Depth:** 0.0937 inches single end **Shaft Diameter:** 0.5000 inches single end **Keyway Length:** 1.4375 inches single end **Duty Cycle:** Continuous **Inclosure Feature:** Spray tight Winding Type: Induction-squirrel cage **Mounting Method:** Flange **Mounting Facility Type And Quantity:** 3 threaded hole **Cooling Method:** 

Fan cooled

**Current Rating Method:** 

Load

Inclosure Specificationification:

Mil-std-108

Frame Size Designation:

L56c

**Power Rating:** 

1.2500 horsepower output

**Thread Size:** 

0.500 inches single end

**Length Of Shaft From Housing:** 

3.625 inches single end

## **NSN 6105-01-045-1856**Alternating Current Motor - Page 2 of 2



Tempurature Rating:
65.0 operating degrees celsius
Mounting Facility Circle Diameter:
5.875 inches
Rotor Speed Rating In Rpm:
3600.0 single no load and 3450.0 single full load
Current Rating In Amps:
2.2000 single input
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A2 first style single end and a9 second style single end and a12 third style single end and a13 fourth style single end
Phase:
Three input
Frequency In Hertz:
60.0 input
Thread Series Designator:
Unc single end
Terminal Type And Quantity:
3 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A271a0
Mil-std (military Standard):
Mil-std-108 spec.