## NSN 6105-01-053-6301

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-01-053-6301 **Thread Class:** 2a first end **Thread Direction:** Right-hand first end **Overall Height:** 10.313 inches **Overall Length:** 35.625 inches **Overall Width:** 13.157 inches Thread Length: 0.687 inches first end Step Diameter: 1.256 inches identical ends Step Length: 1.250 inches identical ends **Keyway Width:** 0.1875 inches second end **Keyway Depth:** 0.094 inches second end **Shaft Diameter:** 0.875 inches second end **Keyway Length:** 1.3125 inches second end **Shaft Rotation Direction:** Clockwise identical ends or counterclockwise identical ends **Duty Cycle:** Continuous **Inclosure Feature:** Dripproof protected-45 deg Winding Type: Induction-squirrel cage **Mounting Method:** Face **Mounting Facility Type And Quantity:** 8 threaded hole **Cooling Method:** Natural convection ventilated **Current Rating Method:** Load

**Torque Rating And Type:** 3.5 foot-pounds running

## NSN 6105-01-053-6301

Alternating Current Motor - Page 2 of 2



Inclosure Specificationification:
Nema
Features Provided:
Horizontal mounting position
Frame Size Designation:
210y
Power Rating:
3.0000 horsepower output
Thread Size:
0.500 inches first end
Length Of Shaft From Housing:
8.813 inches identical ends
Shaft Center To Mounting Surface Distance:
5.250 inches identical ends
Tempurature Rating:
50.0 operating degrees celsius
Rotor Speed Rating In Rpm:
3460.0 single full load
Current Rating In Amps:
3.950 single input
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A9 second style second end
Phase:
Three input
Special Features:
Balancing disk
Frequency In Hertz:
60.0 input
Thread Series Designator:
Unc first end
Terminal Type And Quantity:
3 solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A271a0