NSN 6105-01-100-6473 Alternating Current Motor - Page 1 of 3 View Online at https://aerobasegroup.com/nsn/6105-01-100-6473 **Thread Class:** 2a first end **Thread Direction:** Right-hand first end **Overall Height:** 16.500 inches **Overall Length:** 26.266 inches **Overall Width:** 17.937 inches Thread Length: 0.750 inches identical ends Taper Length: 2.250 inches identical ends **Keyway Width:** 0.375 inches identical ends **Keyway Depth:** 0.188 inches identical ends **Shaft Diameter:** 1.624 inches second end and 1.625 inches second end **Keyway Length:** 2.250 inches identical ends **Shaft Rotation Direction:** 

Counterclockwise second end

**Duty Cycle:** 

Continuous

Inclosure Feature:

Watertight

Winding Type:

Induction-squirrel cage

**Mounting Method:** 

Fixed base

**Mounting Facility Type And Quantity:** 

4 unthreaded hole

**Cooling Method:** 

Nonventilated

**Keyway Center To Shaft End Distance:** 

0.470 inches identical ends

**Current Rating Method:** 

Load

**Inclosure Specificationification:** 

Nema

## NSN 6105-01-100-6473

Alternating Current Motor - Page 2 of 3



Features Provided:
Horizontal mounting position
Woodruff Key Size Designation:
6 single end
Frame Size Designation:
284undz
Power Rating:
20.0000 horsepower output
Thread Size:
0.750 inches first end
Taper:
1.250 per foot in inches first end
Length Of Shaft From Housing:
4.687 inches second end
Shaft Center To Mounting Surface Distance:
7.000 inches identical ends
Center To Center Distance Between Mounting Facilities Parallel To Length:
9.500 inches
Tempurature Rating:
50.0 operating degrees celsius
Rotor Speed Rating In Rpm:
1800.0 single no load and 1645.0 single full load
Center To Center Distance Between Mounting Facilities Parallel To Width:
11.000 inches
Current Rating In Amps:
25.400 single input
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A2 first style first end and a4 second style first end and a9 third style first end
Phase:
Three input
Frequency In Hertz:
60.0 input
Thread Series Designator:
Unc first end
Terminal Type And Quantity:
3 solderless lug
Shelf Life:
N/a
Unit Of Measure:
_
Demilitarization:

No

## **NSN 6105-01-100-6473**Alternating Current Motor - Page 3 of 3



Fiig:

A271a0