NSN 6105-01-118-1280

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-01-118-1280 **Overall Height:** 22.624 inches **Overall Length:** 31.500 inches **Overall Width:** 22.375 inches **Keyway Width:** 0.3750 inches single end **Keyway Depth:** 0.1880 inches single end **Shaft Diameter:** 1.624 inches single end and 1.625 inches single end **Keyway Length:** 3.7810 inches single end **End Application:** 4320-01-118-6392 pump centrifugalfiremain system aboard 270 ft wmec coast guard vessels **Shaft Rotation Direction:** Counterclockwise single end **Duty Cycle:** Continuous **Inclosure Feature:** Dripproof-45 deg Winding Type: Induction-squirrel cage **Mounting Method:** Face **Mounting Facility Type And Quantity:** 4 unthreaded hole **Cooling Method:** Self-ventilated **Current Rating Method: Torque Rating And Type:** 111.0 foot-pounds running **Inclosure Specificationification:** Nema **Features Provided:** Vertical mounting position

Cubic Measure:

15945.678 cubic inches

Power Rating:

75.0000 horsepower output

NSN 6105-01-118-1280Alternating Current Motor - Page 2 of 2



| Length Of Shaft From Housing: |
|---|
| 4.500 inches single end |
| Shaft Center To Mounting Surface Distance: |
| 7.375 inches single end |
| Tempurature Rating: |
| 50.0 ambient degrees celsius |
| Mounting Facility Circle Diameter: |
| 14.750 inches |
| Rotor Speed Rating In Rpm: |
| 3545.0 single full load |
| Current Rating In Amps: |
| 93.200 single input |
| Connection Type And Voltage Rating In Volts: |
| 440.0 line to neutral single input |
| Shaft End Characteristic: |
| A9 single style single end |
| Phase: |
| Three input |
| Frequency In Hertz: |
| 60.0 input |
| Terminal Type And Quantity: |
| 9 wire lead |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A271a0 |