

View Online at <https://aerobasegroup.com/nsn/6105-01-123-8887>

Thread Class:

3a single end

Thread Direction:

Right-hand single end

Overall Height:

11.094 inches

Overall Length:

20.125 inches

Overall Width:

11.875 inches

Thread Length:

0.6250 inches single end

Keyway Width:

0.1860 inches single end

Keyway Depth:

0.0930 inches single end

Shaft Diameter:

0.500 inches single end

Keyway Length:

1.3120 inches single end

Shaft Rotation Direction:

Counterclockwise single end

Duty Cycle:

Continuous

Inclosure Feature:

Totally enclosed

Winding Type:

Induction-squirrel cage

Mounting Method:

Fixed base

Mounting Facility Type And Quantity:

4 unthreaded hole

Cooling Method:

Fan cooled

Current Rating Method:

Load

Torque Rating And Type:

10.4 foot-pounds stalled

Inclosure Specificationification:

Nema

Features Provided:

Horizontal mounting position

Frame Size Designation:

184cnz

Power Rating:

3.0000 horsepower output

Thread Size:

0.500 inches single end

Length Of Shaft From Housing:

6.062 inches single end

Shaft Center To Mounting Surface Distance:

4.484 inches single end

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.500 inches

Tempurature Rating:

50.0 operating degrees celsius

Rotor Speed Rating In Rpm:

3600.0 single no load and 3450.0 single full load

Center To Center Distance Between Mounting Facilities Parallel To Width:

7.500 inches

Current Rating In Amps:

4.200 single input

Connection Type And Voltage Rating In Volts:

440.0 line to neutral single input

Shaft End Characteristic:

A2 first style single end and a9 second style single end and a1 third style single end

Phase:

Three input

Special Features:

Shaft end second style 0.687 in. Dia; shaft end third style 0.875 in. Dia

Frequency In Hertz:

60.0 input

Thread Series Designator:

Unc single end

Terminal Type And Quantity:

3 solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A271a0