NSN 6105-01-127-6222

Alternating Current Motor - Page 1 of 3



- Internating Carront motor in ago in or c	aroup
View Online at https://aerobasegroup.com/nsn/6105-01-127-6222	
Thread Direction:	
Right-hand single end	
Overall Height:	
9.562 inches	
Overall Length:	
20.625 inches	
Overall Width:	
11.875 inches	
Thread Length:	
0.688 inches single end	
Step Diameter:	
0.874 inches single end and 0.875 inches single end	
Step Length:	
4.0000 inches single end	
Keyway Width:	
0.186 inches single end	
Keyway Depth:	
0.094 inches single end and 0.110 inches single end	
Shaft Diameter:	
0.500 inches single end	
Keyway Length:	
1.312 inches single end	
Shaft Rotation Direction:	
Clockwise single end	
Duty Cycle:	
Continuous	
Inclosure Feature:	
Totally enclosed	
Winding Type:	
Induction-squirrel cage	
Mounting Method:	
Fixed base and face	
Mounting Facility Type And Quantity:	
4 threaded hole and 4 unthreaded hole	
Cooling Method:	
Fan cooled	

Current Rating Method:

Load

Torque Rating And Type:

10.0 foot-pounds stalled

Inclosure Specificationification:

Nema

NSN 6105-01-127-6222

Alternating Current Motor - Page 2 of 3



Features Provided:
Horizontal mounting position
Frame Size Designation:
Da-184ny
Power Rating:
3.000 horsepower output
Thread Size:
0.500 inches single end
Length Of Shaft From Housing:
6.625 inches single end
Shaft Center To Mounting Surface Distance:
4.484 inches single end
Center To Center Distance Between Mounting Facilities Parallel To Length:
5.500 inches
Tempurature Rating:
50.0 operating degrees celsius
Mounting Facility Circle Diameter:
7.250 inches
Rotor Speed Rating In Rpm:
3600.0 single no load and 3465.0 single full load
Center To Center Distance Between Mounting Facilities Parallel To Width:
7.500 inches
Current Rating In Amps:
4.700 single input
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A2 first style single end and a9 second style single end and a12 third style single end
Phase:
Three input
Special Features:
Shaft end second style 0.687 in. Dia; shaft end third style 1.249 in. Dia
Frequency In Hertz:
60.0 input
Thread Series Designator:
Unc single end
Terminal Type And Quantity:
3 solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 6105-01-127-6222

Alternating Current Motor - Page 3 of 3



Fiig:

A271a0