NSN 6105-01-172-6093

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-01-172-6093

Shaft Diameter:
0.500 inches single end
Flat Depth:
0.050 inches single end
Duty Cycle:
Continuous
Inclosure Feature:
Totally enclosed
Winding Type:
Induction-split phase
Mounting Method:
Fixed base
Mounting Facility Type And Quantity:
4 slot
Cooling Method:
Fan cooled
Current Rating Method:
Load
Inclosure Specificationification:
Nema
From Size Designation.
Frame Size Designation:
48
48
48 Power Rating:
48 Power Rating: 0.3333 horsepower output
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing:
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end Shaft Center To Mounting Surface Distance:
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end Shaft Center To Mounting Surface Distance: 3.000 inches single end
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end Shaft Center To Mounting Surface Distance: 3.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length:
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end Shaft Center To Mounting Surface Distance: 3.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 2.750 inches
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end Shaft Center To Mounting Surface Distance: 3.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 2.750 inches Rotor Speed Rating In Rpm:
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end Shaft Center To Mounting Surface Distance: 3.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 2.750 inches Rotor Speed Rating In Rpm: 3450.0 single full load
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end Shaft Center To Mounting Surface Distance: 3.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 2.750 inches Rotor Speed Rating In Rpm: 3450.0 single full load Center To Center Distance Between Mounting Facilities Parallel To Width:
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end Shaft Center To Mounting Surface Distance: 3.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 2.750 inches Rotor Speed Rating In Rpm: 3450.0 single full load Center To Center Distance Between Mounting Facilities Parallel To Width: 4.250 inches
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end Shaft Center To Mounting Surface Distance: 3.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 2.750 inches Rotor Speed Rating In Rpm: 3450.0 single full load Center To Center Distance Between Mounting Facilities Parallel To Width: 4.250 inches Current Rating In Amps:
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end Shaft Center To Mounting Surface Distance: 3.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 2.750 inches Rotor Speed Rating In Rpm: 3450.0 single full load Center To Center Distance Between Mounting Facilities Parallel To Width: 4.250 inches Current Rating In Amps: 5.600 single input
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end Shaft Center To Mounting Surface Distance: 3.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 2.750 inches Rotor Speed Rating In Rpm: 3450.0 single full load Center To Center Distance Between Mounting Facilities Parallel To Width: 4.250 inches Current Rating In Amps: 5.600 single input Connection Type And Voltage Rating In Volts:
Power Rating: 0.3333 horsepower output Length Of Shaft From Housing: 1.500 inches single end Shaft Center To Mounting Surface Distance: 3.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 2.750 inches Rotor Speed Rating In Rpm: 3450.0 single full load Center To Center Distance Between Mounting Facilities Parallel To Width: 4.250 inches Current Rating In Amps: 5.600 single input Connection Type And Voltage Rating In Volts: 115.0 line to neutral single input

Single input

NSN 6105-01-172-6093

Alternating Current Motor - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A271a0