## NSN 6105-01-186-6572

Direct Current Motor - Page 1 of 2

**Thread Class:** 



View Online at https://aerobasegroup.com/nsn/6105-01-186-6572

2a single end
Thread Direction:
Right-hand single end
Overall Height:
15.251 inches
Overall Length:
25.391 inches
Overall Width:
15.562 inches
Thread Length:
1.188 inches single end
Keyway Width:
0.187 inches single end
Keyway Depth:
0.093 inches single end
Shaft Diameter:
0.625 inches single end
Keyway Length:
1.188 inches single end
<b>Shaft Rotation Direction:</b>
Counterclockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
Dripproof protected-15 deg
Winding Type:
Shunt wound w/commutating poles-stabilizing windings
Mounting Method:
Fixed base and face
Mounting Facility Type And Quantity:
4 threaded hole and 4 unthreaded hole
Cooling Method:
Self-ventilated
Current Rating Method:
Load
Inclosure Specificationification:
Nema
Features Provided:
Horizontal mounting position
Frame Size Designation:
254cyz

## **NSN 6105-01-186-6572**Direct Current Motor - Page 2 of 2



Power Rating:
5.000 horsepower output
Thread Size:
0.625 inches single end
Length Of Shaft From Housing:
4.124 inches single end
Shaft Center To Mounting Surface Distance:
6.250 inches single end
Center To Center Distance Between Mounting Facilities Parallel To Length:
8.250 inches
Tempurature Rating:
50.0 ambient degrees celsius
Mounting Facility Circle Diameter:
7.250 inches
Rotor Speed Rating In Rpm:
1800.0 single no load
Center To Center Distance Between Mounting Facilities Parallel To Width:
10.000 inches
Current Rating In Amps:
17.000 single input
Connection Type And Voltage Rating In Volts:
250.0 line to neutral single input
Shaft End Characteristic:
A2 first style single end and a9 second style single end and a1 third style single end
Special Features:
Shaft end second style 0.875 in. Dia; shaft end third style 1.500 in. Dia
Thread Series Designator:
Unf single end
Terminal Type And Quantity:
3 solderless lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A271a0