

NSN 6105-01-198-3062 Alternating Current Motor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6105-01-198-3062 **Thread Class:** 3a single end **Thread Direction:** Right-hand single end **Overall Height:** 14.875 inches **Overall Length:** 31.062 inches **Overall Width:** 15.375 inches Thread Length: 0.938 inches single end **Keyway Width:** 0.250 inches single end **Keyway Depth:** 0.125 inches single end **Shaft Diameter:** 0.625 inches single end **Keyway Length:** 2.000 inches single end **Shaft Rotation Direction:** Clockwise single end **Duty Cycle:** Continuous **Inclosure Feature:** Totally enclosed Winding Type:

Induction-squirrel cage

Mounting Method:

Fixed base and face

Mounting Facility Type And Quantity:

4 threaded hole and 4 unthreaded hole

Cooling Method:

Fan cooled

Current Rating Method:

Load

Inclosure Specificationification:

Nema

Features Provided:

Horizontal mounting position

Frame Size Designation:

256ucz

NSN 6105-01-198-3062Alternating Current Motor - Page 2 of 2



Power Rating:
15.000 horsepower output
Thread Size:
0.625 inches single end
Length Of Shaft From Housing:
8.874 inches single end
Center To Center Distance Between Mounting Facilities Parallel To Length:
10.000 inches
Mounting Facility Circle Diameter:
7.250 inches
Rotor Speed Rating In Rpm:
3600.0 single no load
Center To Center Distance Between Mounting Facilities Parallel To Width:
10.000 inches
Current Rating In Amps:
19.000 single input
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A2 first style single end and a9 second style single end and a1 third style single end
Phase:
Three input
Special Features:
Shaft second style 1.125 in. Dia; shaft third style 1.250 in. Dia
Frequency In Hertz:
60.0 input
Thread Series Designator:
Unc single end
Terminal Type And Quantity:
3 solderless lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A271a0