

NSN 6105-01-280-0376 Alternating Current Motor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6105-01-280-0376 **Thread Class:** 3a single end **Thread Direction:** Right-hand single end **Overall Height:** 13.440 inches **Overall Length:** 25.380 inches **Overall Width:** 15.000 inches Thread Length: 0.750 inches single end **Shaft Diameter:** 0.687 inches single end **Shaft Rotation Direction:** Clockwise single end or counterclockwise single end **Duty Cycle:** Continuous Inclosure Feature: Totally enclosed Winding Type: Induction-squirrel cage **Mounting Method:** Fixed base **Mounting Facility Type And Quantity:** 4 unthreaded hole **Cooling Method:** Fan cooled

Current Rating Method:

Load

Inclosure Specificationification:

Nema

Features Provided:

Horizontal mounting position

Frame Size Designation:

L215tnc

Power Rating:

7.500 horsepower output

Thread Size:

0.500 inches single end

Length Of Shaft From Housing:

6.620 inches single end

NSN 6105-01-280-0376Alternating Current Motor - Page 2 of 2

No Fiig: A271a0



Shaft Center To Mounting Surface Distance:
11.250 inches single end
Center To Center Distance Between Mounting Facilities Parallel To Length:
7.000 inches
Tempurature Rating:
50.0 ambient degrees celsius
Rotor Speed Rating In Rpm:
3600.0 single no load and 3525.0 single full load
Center To Center Distance Between Mounting Facilities Parallel To Width:
8.500 inches
Current Rating In Amps:
8.800 single input
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A2 first style single end and a1 second style single end
Phase:
Three input
Special Features:
Shaft end first styel has keyway, 0.190 in. By 0.190 in. By 1.250 in. Long; shaft end second style 0.875 in. Dia
Frequency In Hertz:
60.0 input
Thread Series Designator:
Unc single end
Terminal Type And Quantity:
3 solderless lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: