NSN 6105-01-302-5332

Thread Class: 3b single end Overall Height: 7.020 inches

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-01-302-5332

Overall Length:
16.750 inches
Overall Width:
8.485 inches
Thread Length:
1.000 inches single end
Step Diameter:
0.8740 inches single end and 0.8745 inches single end
Step Length:
1.358 inches single end
Shaft Diameter:
0.9995 inches single end and 1.0000 inches single end
Keyway Length:
1.650 inches single end
Shaft Rotation Direction:
Clockwise single end or counterclockwise single end
Duty Cycle:
Continuous
Winding Type:
Induction-squirrel cage
Mounting Method:
Face and fixed base
Mounting Facility Type And Quantity:
4 threaded hole and 4 unthreaded hole
Frame Size Designation:
143jp
Power Rating:
0.750 horsepower output or 1.000 horsepower output
Thread Size:
0.375 inches single end
Length Of Shaft From Housing:
7.310 inches single end
Shaft Center To Mounting Surface Distance:
3.485 inches single end
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.000 inches
Tempurature Rating:
40.0 ambient degrees celsius

NSN 6105-01-302-5332

Alternating Current Motor - Page 2 of 2



Mounting Facility Circle Diameter:
5.8750 inches
Rotor Speed Rating In Rpm:
1430.0 low full load and 1735.0 high full load
Center To Center Distance Between Mounting Facilities Parallel To Width:
5.500 inches
Current Rating In Amps:
2.000 single input
Connection Type And Voltage Rating In Volts:
190.0 line to neutral first multiple input or 208.0 line to neutral second multiple input or 230.0 line to neutral third multiple input or 380.0 line to
neutral fourth multiple input or 460.0 line to neutral fifth multiple input
Shaft End Characteristic:
A3 first style single end and a12 second style single end and a9 third style single end
Phase:
Three input
Frequency In Hertz:
50.0 input or 60.0 input
Thread Series Designator:
Unc single end
Terminal Type And Quantity:
9 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A271a0