Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-01-317-3652

Overall Height:
26.250 inches
Overall Length:
34.060 inches
Overall Width:
27.620 inches
Keyway Width:
0.625 inches single end and 0.627 inches single end
Keyway Depth:
0.312 inches single end and 0.314 inches single end
Shaft Diameter:
2.374 inches single end and 2.375 inches single end
Keyway Length:
3.010 inches single end
Shaft Rotation Direction:
Clockwise single end or counterclockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
Dripproof protected-15 deg
Winding Type:
Induction-squirrel cage
Mounting Method:
Fixed base
Mounting Facility Type And Quantity:
4 unthreaded hole
Cooling Method:
Self-ventilated
Current Rating Method:
Load
Inclosure Specificationification:
Mil-std-108
Features Provided:
Horizontal mounting position
Frame Size Designation:
444tnsd
Power Rating:
75.000 horsepower output
Length Of Shaft From Housing:
4.500 inches single end
Shaft Center To Mounting Surface Distance:
10.970 inches single end

Alternating Current Motor - Page 2 of 2



# Center To Center Distance Between Mounting Facilities Parallel To Length:

14.500 inches

#### **Tempurature Rating:**

50.0 ambient degrees celsius

## Rotor Speed Rating In Rpm:

890.0 single full load

## Center To Center Distance Between Mounting Facilities Parallel To Width:

18.000 inches

### Current Rating In Amps:

95.700 single input

#### **Connection Type And Voltage Rating In Volts:**

440.0 line to neutral single input

#### Shaft End Characteristic:

A9 single style single end

#### Phase:

Three input

#### **Frequency In Hertz:**

60.0 input

## **Terminal Type And Quantity:**

3 solderless lug

Shelf Life:

# N/a

Unit Of Measure:

---

#### Demilitarization:

No

## Fiig:

A271a0

## Mil-std (military Standard):

Mil-std-108 spec.