

NSN 6105-01-342-1784 Alternating Current Motor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6105-01-342-1784 **Thread Class:** 2b single end **Thread Direction:** Right-hand single end **Overall Height:** 14.760 inches **Overall Length:** 22.310 inches **Overall Width:** 15.690 inches Thread Length: 0.750 inches first end **Keyway Width:** 0.373 inches single end and 0.377 inches single end **Keyway Depth:** 0.216 inches single end **Shaft Diameter:** 1.624 inches single end and 1.625 inches single end **Keyway Length:** 3.500 inches single end **Shaft Rotation Direction:** Clockwise single end or counterclockwise single end **Duty Cycle:** Continuous **Inclosure Feature:** Dripproof protected-15 deg

Winding Type:

Induction-squirrel cage

Mounting Method:

Fixed base

Mounting Facility Type And Quantity:

4 unthreaded hole

Cooling Method:

Fan cooled

Current Rating Method:

Load

Inclosure Specificationification:

Mil-std-108

Features Provided:

Horizontal mounting position

Frame Size Designation:

256tn

NSN 6105-01-342-1784

Alternating Current Motor - Page 2 of 2



Power Rating:
15.000 horsepower output
Thread Size:
0.375 inches single end
Length Of Shaft From Housing:
4.190 inches single end
Shaft Center To Mounting Surface Distance:
6.234 inches single end
Center To Center Distance Between Mounting Facilities Parallel To Length:
10.000 inches
Tempurature Rating:
50.0 ambient degrees celsius
Rotor Speed Rating In Rpm:
1800.0 single full load
Center To Center Distance Between Mounting Facilities Parallel To Width:
10.000 inches
Current Rating In Amps:
19.000 single input
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A3 first style single end and a9 second style single end
Phase:
Three input
Special Features:
State non magnetic on dwg
Frequency In Hertz:
60.0 input
Thread Series Designator:
Unc single end
Terminal Type And Quantity:
3 solderless lug
Fsc Application Data:
Air compressor
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A271a0
Mil-std (military Standard):

Mil-std-108 spec.