Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-01-342-1784

Thread Class:

2b single end

Thread Direction:

Right-hand single end

Overall Height:

14.760 inches

Overall Length:

22.310 inches

Overall Width:

15.690 inches

Thread Length:

0.750 inches first end

Keyway Width:

0.373 inches single end and 0.377 inches single end

Keyway Depth:

0.216 inches single end

Shaft Diameter:

1.624 inches single end and 1.625 inches single end

Keyway Length:

3.500 inches single end

Shaft Rotation Direction:

Clockwise single end or counterclockwise single end

Duty Cycle:

Continuous

Inclosure Feature:

Dripproof protected-15 deg

Winding Type:

Induction-squirrel cage

Mounting Method:

Fixed base

Mounting Facility Type And Quantity:

4 unthreaded hole

Cooling Method:

Fan cooled

Current Rating Method:

Load

Inclosure Specificationification:

Mil-std-108

Features Provided:

Horizontal mounting position

Frame Size Designation:

256tn

NSN 6105-01-342-1784

Alternating Current Motor - Page 2 of 2



Dowor	Deting
	Rating:
	horsepower output
Thread	
	nches single end
	n Of Shaft From Housing:
	nches single end
	Center To Mounting Surface Distance:
	nches single end
	To Center Distance Between Mounting Facilities Parallel To Length:
	inches
-	Irature Rating:
	nbient degrees celsius
	Speed Rating In Rpm:
	single full load
Center	To Center Distance Between Mounting Facilities Parallel To Width:
10.000	inches
Currer	nt Rating In Amps:
19.000	single input
Conne	ction Type And Voltage Rating In Volts:
440.0 l	ine to neutral single input
Shaft I	End Characteristic:
A3 first	style single end and a9 second style single end
Phase	:
Three i	input
Specia	al Features:
State n	non magnetic on dwg
Freque	ency In Hertz:
60.0 in	put
Thread	d Series Designator:
Unc sir	ngle end
Termir	nal Type And Quantity:
3 solde	erless lug
Fsc Ap	oplication Data:
Air con	npressor
Shelf L	_ife:
N/a	
Unit O	f Measure:
Demili	tarization:
No	
Fiig:	
A271a	0
	- I (military Standard):
	-108 spec.
510	· • • • F • • •