NSN 6105-01-358-7608

Direct Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-01-358-7608

Overall Height:
3.000 inches
Overall Length:
7.625 inches
Overall Width:
3.000 inches
Spline Minor Diameter:
0.750 inches single end
Spline Quantity:
15 single end
Shaft Diameter:
1.000 inches single end
End Application:
An/sps-69
Shaft Rotation Direction:
Counterclockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
General purpose
Specific Use:
Antenna pedestal scanner motor
Winding Type:
Shunt wound w/commutation poles-compensating windings
Spline Length:
0.625 inches single end
Mounting Method:
Fixed base
Mounting Facility Type And Quantity:
4 unthreaded hole
Cooling Method:
Natural convection ventilated
Features Provided:
Terminal board and vertical mounting position
Power Rating:

owo: Ruinig.

7.0 watts output

Length Of Shaft From Housing:

0.812 inches single end

Rotor Speed Rating In Rpm:

135.0 single no load

Connection Type And Voltage Rating In Volts:

10.0 line to neutral single input

NSN 6105-01-358-7608

Direct Current Motor - Page 2 of 2



Shaft End Characteristic:

A14 single style single end

Special Features:

Includes 2 spare carbon brushes

Terminal Type And Quantity:

2 connector, plug

Fsc Application Data:

Antenna pedestal, surface search radar, seaborne

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A271a0