NSN 6105-01-365-2626

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-01-365-2626

| Overall Length: | | | | |
|---|--|--|--|--|
| 37.250 inches | | | | |
| Overall Width: | | | | |
| 27.875 inches | | | | |
| Keyway Width: | | | | |
| 0.750 inches single end | | | | |
| Keyway Depth: | | | | |
| 0.750 inches single end | | | | |
| Shaft Diameter: | | | | |
| 2.875 inches single end | | | | |
| Keyway Length: | | | | |
| 5.625 inches single end | | | | |
| Inclosure Feature: | | | | |
| Totally enclosed | | | | |
| Mounting Method: | | | | |
| Fixed base | | | | |
| Mounting Facility Type And Quantity: | | | | |
| 4 unthreaded hole | | | | |
| Frame Size Designation: | | | | |
| 405t | | | | |
| Power Rating: | | | | |
| 100.000 horsepower output | | | | |
| Length Of Shaft From Housing: | | | | |
| 7.250 inches single end | | | | |
| Shaft Center To Mounting Surface Distance: | | | | |
| 10.000 inches single end | | | | |
| Center To Center Distance Between Mounting Facilities Parallel To Length: | | | | |
| 13.750 inches | | | | |
| Rotor Speed Rating In Rpm: | | | | |
| 1765.0 single full load | | | | |
| Center To Center Distance Between Mounting Facilities Parallel To Width: | | | | |
| 16.000 inches | | | | |
| Current Rating In Amps: | | | | |
| 121.000 single input | | | | |
| Connection Type And Voltage Rating In Volts: | | | | |
| 440.0 line to neutral single input | | | | |
| Shaft End Characteristic: | | | | |
| A9 single style single end | | | | |
| Phase: | | | | |
| Three input | | | | |
| Frequency In Hertz: | | | | |
| 60.0 input | | | | |

NSN 6105-01-365-2626

Alternating Current Motor - Page 2 of 2



| _ | | | | |
|---|-----|------|---|------|
| c | hο | JIF. | | ife: |
| J | 116 | | _ | HG. |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A271a0