

NSN 6105-01-382-9686 Alternating Current Motor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6105-01-382-9686 **Thread Class:** 3a single end **Thread Direction:** Right-hand single end **Overall Height:** 13.940 inches **Overall Length:** 34.690 inches **Overall Width:** 19.220 inches Thread Length: 1.045 inches single end **Keyway Width:** 0.377 inches single end **Keyway Depth:** 0.201 inches single end **Shaft Diameter:** 1.7495 inches single end **Keyway Length:** 2.594 inches single end **Duty Cycle:** Continuous **Inclosure Feature:** Totally enclosed Winding Type: Induction-squirrel cage **Mounting Method:** Fixed base **Mounting Facility Type And Quantity:**

4 unthreaded hole

Cooling Method:

Fan cooled

Current Rating Method:

Load

Inclosure Specificationification:

Mil-std-108

Features Provided:

Horizontal mounting position

Frame Size Designation:

286tcy

Power Rating:

20.000 horsepower output

NSN 6105-01-382-9686

Alternating Current Motor - Page 2 of 2



Thread Size:
0.875 inches single end
Length Of Shaft From Housing:
10.750 inches single end
Shaft Center To Mounting Surface Distance:
6.985 inches single end
Center To Center Distance Between Mounting Facilities Parallel To Length:
11.000 inches
Tempurature Rating:
50.0 ambient degrees celsius
Rotor Speed Rating In Rpm:
1700.0 single full load
Center To Center Distance Between Mounting Facilities Parallel To Width:
11.000 inches
Current Rating In Amps:
24.300 single input
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A2 first style single end and a9 second style single end
Phase:
Three input
Frequency In Hertz:
60.0 input
Thread Series Designator:
Unc single end
Terminal Type And Quantity:
3 solderless lug
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A271a0
Mil-std (military Standard):
Mil-std-108 spec.