Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-01-387-8252

| Overall Height: |
|---|
| 10.450 inches |
| Overall Length: |
| 17.250 inches |
| Overall Width: |
| 13.930 inches |
| Keyway Width: |
| 0.312 inches single end and 0.314 inches single end |
| Keyway Depth: |
| 0.1817 inches single end |
| Shaft Diameter: |
| 1.3745 inches single end and 1.3750 inches single end |
| Keyway Length: |
| 2.380 inches single end |
| Shaft Rotation Direction: |
| Clockwise single end |
| Duty Cycle: |
| Continuous |
| Inclosure Feature: |
| General purpose |
| Winding Type: |
| Induction-squirrel cage |
| Mounting Method: |
| Fixed base |
| Mounting Facility Type And Quantity: |
| 4 unthreaded hole |
| Cooling Method: |
| Ambient air |
| Current Rating Method: |
| Load |
| Inclosure Specificationification: |
| Nema |
| Frame Size Designation: |
| 215tn |
| Power Rating: |
| 5.000 horsepower output |
| Length Of Shaft From Housing: |
| 3.380 inches single end |
| Shaft Center To Mounting Surface Distance: |
| 5.230 inches single end |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 7.000 inches |

NSN 6105-01-387-8252

Alternating Current Motor - Page 2 of 2



| Tempurature Rating: |
|--|
| 50.0 ambient degrees celsius |
| Rotor Speed Rating In Rpm: |
| 1200.0 single full load |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 8.500 inches |
| Current Rating In Amps: |
| 7.300 single input |
| Connection Type And Voltage Rating In Volts: |
| 440.0 line to neutral single input |
| Shaft End Characteristic: |
| A9 single style single end |
| Phase: |
| Single input |
| Frequency In Hertz: |
| 60.0 input |
| Terminal Type And Quantity: |
| 2 solderless lug |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A271a0 |