

View Online at <https://aerobasegroup.com/nsn/6105-01-390-5266>

Thread Class:

2b single end

Thread Direction:

Right-hand single end

Overall Height:

19.380 inches

Overall Length:

26.130 inches

Overall Width:

18.000 inches

Thread Length:

1.000 inches single end

Keyway Width:

0.500 inches single end

Keyway Depth:

0.282 inches single end

Shaft Diameter:

2.125 inches single end

Keyway Length:

3.000 inches single end

End Application:

Deck machinery-minesweeping deck crane

Shaft Rotation Direction:

Clockwise single end or counterclockwise single end

Duty Cycle:

Continuous

Inclosure Feature:

Spray tight

Winding Type:

Induction-squirrel cage

Mounting Method:

Fixed base

Mounting Facility Type And Quantity:

4 unthreaded hole

Cooling Method:

Fan cooled

Current Rating Method:

Load

Inclosure Specificationification:

Mil-std-108

Frame Size Designation:

326t

Power Rating:

30.000 horsepower output

Thread Size:

0.500 inches single end

Criticality Code Justification:

Zzzy

Length Of Shaft From Housing:

5.000 inches single end

Shaft Center To Mounting Surface Distance:

7.9845 inches single end

Center To Center Distance Between Mounting Facilities Parallel To Length:

12.000 inches

Tempurature Rating:

50.0 ambient degrees celsius

Rotor Speed Rating In Rpm:

1775.0 single full load

Center To Center Distance Between Mounting Facilities Parallel To Width:

12.500 inches

Current Rating In Amps:

38.000 single input

Connection Type And Voltage Rating In Volts:

440.0 line to neutral single input

Shaft End Characteristic:

A3 first style single end and a9 second style single end

Phase:

Three input

Frequency In Hertz:

60.0 input

Thread Series Designator:

Unc single end

Terminal Type And Quantity:

3 solderless lug

Reference Number Differentiating Characteristics:

Magnetic permeability shall not exceed 2.0 after fabrication

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A271a0

Mil-std (military Standard):

Mil-std-108 spec.