Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-01-467-6724

Overall Height:13.936 inchesOverall Length:19.291 inchesOverall Width:13.400 inchesKeyway Width:0.312 inches single endKeyway Depth:0.312 inches single endShaft Diameter:1.375 inches single endKeyway Length:2.480 inches single endEnd Application:Usns stalwart class tagosMounting Method:Fixed baseMounting Facility Type And Quantity:4 unthreaded holeCurrent Rating Method:LoadForque Rating And Type:29.4 foot-pounds runningPower Rating:10.0000 horsepower outputLength Of Shaft From Housing:3.375 inches single endShaft Center To Mounting Surface Distance:
Overall Length:19.291 inchesOverall Width:13.400 inchesKeyway Width:0.312 inches single endKeyway Depth:0.156 inches single endShaft Diameter:1.375 inches single endKeyway Length:2.480 inches single endEnd Application:Usns stalwart class tagosMounting Method:Fixed baseMounting Facility Type And Quantity:4 unthreaded holeCurrent Rating Method:LoadFoyer Rating:10.0000 horsepower outputLength Of Shaft From Housing:3.375 inches single endShaft Center To Mounting Surface Distance:
19.291 inches Overall Width: 13.400 inches Keyway Width: 0.312 inches single end Keyway Depth: 0.156 inches single end Shaft Diameter: 1.375 inches single end Keyway Length: 2.480 inches single end Keyway Length Componention Keyway Length Componention Usns stalwart class tagos Mounting Method: Fixed base Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating Method: Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
Overall Width:13.400 inchesKeyway Width:0.312 inches single endKeyway Depth:0.156 inches single endShaft Diameter:1.375 inches single endKeyway Length:2.480 inches single endEnd Application:Usns stalwart class tagosMounting Method:Fixed baseMounting Facility Type And Quantity:4 unthreaded holeCurrent Rating Method:LoadPower Rating:10.0000 horsepower outputLength Of Shaft From Housing:3.375 inches single endShaft Center To Mounting Surface Distance:
 13.400 inches Keyway Width: 0.312 inches single end Keyway Depth: 0.156 inches single end Shaft Diameter: 1.375 inches single end Keyway Length: 2.480 inches single end End Application: Usns stalwart class tagos Mounting Method: Fixed base Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating Method: Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end
Keyway Width:0.312 inches single endKeyway Depth:0.156 inches single endShaft Diameter:1.375 inches single endKeyway Length:2.480 inches single endEnd Application:Usns stalwart class tagosMounting Method:Fixed baseMounting Facility Type And Quantity:4 unthreaded holeCurrent Rating Method:LoadPower Rating:10.0000 horsepower outputLength Of Shaft From Housing:3.375 inches single endShaft Center To Mounting Surface Distance:
0.312 inches single end Keyway Depth: 0.156 inches single end Shaft Diameter: 1.375 inches single end Keyway Length: 2.480 inches single end End Application: Usns stalwart class tagos Mounting Method: Fixed base Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating Method: Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
Keyway Depth:0.156 inches single endShaft Diameter:1.375 inches single endKeyway Length:2.480 inches single endEnd Application:Usns stalwart class tagosMounting Method:Fixed baseMounting Facility Type And Quantity:4 unthreaded holeCurrent Rating Method:LoadForque Rating And Type:29.4 foot-pounds runningPower Rating:10.0000 horsepower outputLength Of Shaft From Housing:3.375 inches single endShaft Center To Mounting Surface Distance:
0.156 inches single end Shaft Diameter: 1.375 inches single end Keyway Length: 2.480 inches single end End Application: Usns stalwart class tagos Mounting Method: Fixed base Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating Method: Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
Shaft Diameter:1.375 inches single endKeyway Length:2.480 inches single endEnd Application:Usns stalwart class tagosMounting Method:Fixed baseMounting Facility Type And Quantity:4 unthreaded holeCurrent Rating Method:LoadTorque Rating And Type:29.4 foot-pounds runningPower Rating:10.0000 horsepower outputLength Of Shaft From Housing:3.375 inches single endShaft Center To Mounting Surface Distance:
 1.375 inches single end Keyway Length: 2.480 inches single end End Application: Usns stalwart class tagos Mounting Method: Fixed base Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating Method: Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
Keyway Length:2.480 inches single endEnd Application:Usns stalwart class tagosMounting Method:Fixed baseMounting Facility Type And Quantity:4 unthreaded holeCurrent Rating Method:LoadTorque Rating And Type:29.4 foot-pounds runningPower Rating:10.0000 horsepower outputLength Of Shaft From Housing:3.375 inches single endShaft Center To Mounting Surface Distance:
 2.480 inches single end End Application: Usns stalwart class tagos Mounting Method: Fixed base Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating Method: Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
End Application: Usns stalwart class tagos Mounting Method: Fixed base Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating Method: Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
Usns stalwart class tagos Mounting Method: Fixed base Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating Method: Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
Mounting Method:Fixed baseMounting Facility Type And Quantity:4 unthreaded holeCurrent Rating Method:LoadTorque Rating And Type:29.4 foot-pounds runningPower Rating:10.0000 horsepower outputLength Of Shaft From Housing:3.375 inches single endShaft Center To Mounting Surface Distance:
Fixed base Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating Method: Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
Mounting Facility Type And Quantity: 4 unthreaded hole Current Rating Method: Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
4 unthreaded hole Current Rating Method: Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
Current Rating Method: Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
Load Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
Torque Rating And Type: 29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
29.4 foot-pounds running Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
Power Rating: 10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
10.0000 horsepower output Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
Length Of Shaft From Housing: 3.375 inches single end Shaft Center To Mounting Surface Distance:
3.375 inches single end Shaft Center To Mounting Surface Distance:
Shaft Center To Mounting Surface Distance:
5.250 inches single end
Center To Center Distance Between Mounting Facilities Parallel To Length:
7.000 inches
Tempurature Rating:
40.0 ambient degrees celsius
Rotor Speed Rating In Rpm:
1765.0 single full load
Center To Center Distance Between Mounting Facilities Parallel To Width:
8.500 inches
Current Rating In Amps:
24.800 first multiple input or 12.400 second multiple input
Shaft End Characteristic:

A9 single style single end

NSN 6105-01-467-6724

Alternating Current Motor - Page 2 of 2

Frequency In Hertz:

60.0 input

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A271a0

