NSN 6105-01-516-1456

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-01-516-1456 **Thread Pitch Diameters:** +0.5828/+0.5875 inches single end **Thread Direction:** Right-hand single end **Overall Height:** 11.720 inches **Overall Length:** 17.880 inches **Overall Width:** 13.130 inches **Thread Length:** 0.900 inches single end **Taper Length:** 0.400 inches single end Shaft Diameter: 0.984 inches second end and 0.985 inches second end **End Application:** Motor, ac 5k182nk1582 **Shaft Rotation Direction:** Clockwise single end **Duty Cycle:** Continuous **Inclosure Feature:** Totally enclosed Winding Type: Induction-squirrel cage **Mounting Method:** Flange Mounting Facility Type And Quantity: 8 unthreaded hole **Cooling Method:** Fan cooled **Current Rating Method:** No load **Inclosure Specificationification:** Mil-std-108 Thready Qty Per Inch (tpi): 18 single end Frame Size Designation: 182 **Power Rating:**

2.000 horsepower output

NSN 6105-01-516-1456

Alternating Current Motor - Page 2 of 2



Thread Size: 0.750 inches single end Taper: 0.120 per foot in inches single end Length Of Shaft From Housing: 16.870 inches single end **Tempurature Rating:** 60.0 ambient degrees fahrenheit **Rotor Speed Rating In Rpm:** 3600.0 single no load **Current Rating In Amps:** 2.700 single output **Connection Type And Voltage Rating In Volts:** 440.0 line to neutral single output Shaft End Characteristic: A4 single style second end Phase: Three output **Frequency In Hertz:** 60.0 output **Thread Series Designator:** Uns single end Terminal Type And Quantity: 3 solderless lug and 3 wire lead Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A271a0 Mil-std (military Standard): Mil-std-108 spec.