NSN 6110-00-500-0475

Power Switchboard - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-00-500-0475

| 3 |
|--|
| Overall Depth: |
| 19.500 inches |
| Wattage Rating In Watts: |
| 50.0 1st voltage rating |
| Overall Height: |
| 84.000 inches |
| Overall Width: |
| 25.500 inches |
| Mounting Method: |
| Deck |
| End Application: |
| Project ram |
| Usage Design: |
| Power distribution and control of power conversion equipment |
| Document Title: |
| Components and accesspries listed on buships dwg no. S6201-3228442 |
| Panel Material: |
| Steel |
| Input Phase: |
| Three 1st voltage rating |
| Inclosure Feature: |
| Open |
| Output Frequency Rating: |
| 60 hertz 1st voltage rating |
| Panel Quantity: |
| 6 |
| Electrical Input Quantity: |
| 3 |
| Input Voltage Rating: |
| 28.0 dc volts 4th voltage rating |
| Input Neutral: |
| Not provided |
| Electrical Output Quantity: |
| 23 |
| Output Voltage Rating: |
| 28.0 dc volts 5th voltage rating |
| Output Wattage Rating In Watts: |
| 50.0 2nd voltage rating |
| Output Neutral: |
| Not provided |
| Shock Absorbant Pating |

N hi-shockproof

NSN 6110-00-500-0475

Power Switchboard - Page 2 of 2



| Input Frequency In Hert | Z |
|--------------------------|---|
| 400.0 3rd voltage rating | |

Phase:

Three 2nd voltage rating

Surface Treatment:

Enamel

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T122-g