

View Online at <https://aerobasegroup.com/nsn/6110-00-635-4658>

**Case Material:**

Steel

**Case Surface Treatment:**

Enamel

**Maximum Voltage Rating In Volts:**

115.0 ac

**Inclosure Type:**

Encased

**Current Rating In Amps:**

2.2

**Terminal Location:**

Back corner

**Power Source:**

External

**Mounting Method:**

Bulkhead

**Features Provided:**

Internal illumination and warning indicator

**Terminal Type And Quantity:**

8 screw

**Maximumlength:**

19.625 inches

**Maximumwidth:**

16.500 inches

**Maximumheight:**

10.000 inches

**Intelligence Data Handling Capability:**

Electrical frequency receiving automatic and electrical frequency transmitting automatic

**Indication Method:**

Receiving stroboscope and receiving synchronous clock and transmitting stroboscope and transmitting synchronous clock

**Maintained Frequency:**

60.000 hertz

**Frequency Device Type:**

Tuning fork

**Phase:**

Single

**Frequency In Hertz:**

60.0

**Reference Number Differentiating Characteristics:**

As differentiated by field control rheostat, 2000 ohms, 100 watt

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A31700