NSN 6110-00-826-9603

Motor Starter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-00-826-9603

Speed Adjustments:
Single speed
Overall Length:
5.094 inches
Overall Height:
3.813 inches
Overall Width:
4.375 inches
Ac Voltage Rating:
440.0 volts
Frequency Rating:
60.0 hertz
Actuation Method:
Magnetic
Performance Type:
Semiautomatic
Duty Cycle:
Continuous
Mounting Configuration:
Three no. 10 screw slots spaced on 1.500 in by 4 in triangle
Operating Voltage Characteristic:
Full
Actuator Voltage:
110.0 ac
Load Protection Type:
Load Protection Type: Overload
Overload
Overload Ambient Temp:
Overload Ambient Temp: 65.0 degrees celsius
Overload Ambient Temp: 65.0 degrees celsius National Electrical Manufacturers Association Standards Design:
Overload Ambient Temp: 65.0 degrees celsius National Electrical Manufacturers Association Standards Design: Designed per nema std
Overload Ambient Temp: 65.0 degrees celsius National Electrical Manufacturers Association Standards Design: Designed per nema std Control Type:
Overload Ambient Temp: 65.0 degrees celsius National Electrical Manufacturers Association Standards Design: Designed per nema std Control Type: Remote
Overload Ambient Temp: 65.0 degrees celsius National Electrical Manufacturers Association Standards Design: Designed per nema std Control Type: Remote Phase:
Overload Ambient Temp: 65.0 degrees celsius National Electrical Manufacturers Association Standards Design: Designed per nema std Control Type: Remote Phase: Three
Overload Ambient Temp: 65.0 degrees celsius National Electrical Manufacturers Association Standards Design: Designed per nema std Control Type: Remote Phase: Three Frequency In Hertz:
Overload Ambient Temp: 65.0 degrees celsius National Electrical Manufacturers Association Standards Design: Designed per nema std Control Type: Remote Phase: Three Frequency In Hertz: 60.0
Overload Ambient Temp: 65.0 degrees celsius National Electrical Manufacturers Association Standards Design: Designed per nema std Control Type: Remote Phase: Three Frequency In Hertz: 60.0 Shelf Life:
Overload Ambient Temp: 65.0 degrees celsius National Electrical Manufacturers Association Standards Design: Designed per nema std Control Type: Remote Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a
Overload Ambient Temp: 65.0 degrees celsius National Electrical Manufacturers Association Standards Design: Designed per nema std Control Type: Remote Phase: Three Frequency In Hertz: 60.0 Shelf Life: N/a Unit Of Measure:

NSN 6110-00-826-9603

Motor Starter - Page 2 of 2



Fiig:

A541c0