## NSN 6110-01-006-5720

Motor Starter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-006-5720

Speed Adjustments:
0 to full speed
Hazardous Locations/environmental Protection:
Dripproof
Overall Length:
30.000 inches
Overall Height:
10.000 inches
Overall Width:
22.000 inches
Ac Voltage Rating:
440.0 volts
Frequency Rating:
60.0 hertz
Actuation Method:
Magnetic
Performance Type:
Manual
Fuse Accommodation Quantity:
2
Size Designator:
2
Duty Cycle:
Continuous
Mounting Configuration:
Six 15/32 in. Diameter holes; rectangular pattern; on 20-1/2 in. By 14 in. C to c in. Lg
Operating Voltage Characteristic:
Full
Horsepower Rating:
25.000
Actuator Voltage:
115.0 ac
Fuse Current Rating In Amps:
10.0
Load Protection Type:
Overload
Ambient Temp:
50.0 degrees celsius
Inclosure Feature:
Dripproof
National Electrical Manufacturers Association Standards Design:

Designed per nema std

## NSN 6110-01-006-5720

Motor Starter - Page 2 of 2



Switch Functional Positions:
Reset and start and stop
Control Type:
Local
Features Provided:
Circuit protection fuse
Phase:
Three
Special Features:
High water alarm added for overflow protection
Frequency In Hertz:
60.0
60.0 Shelf Life:
Shelf Life:
Shelf Life: N/a
Shelf Life: N/a
Shelf Life: N/a Unit Of Measure:
Shelf Life: N/a Unit Of Measure: Demilitarization: