NSN 6110-01-112-8890

Motor Controller - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-112-8890

One LA English
Speed Adjustments:
Two speed
Hazardous Locations/environmental Protection:
Shock proof
Overall Length:
8.600 inches
Overall Height:
17.140 inches
Overall Width:
13.760 inches
Ac Voltage Rating:
440.0 volts
Frequency Rating:
60.0 hertz
Actuation Method:
Magnetic
Performance Type:
Manual
Fuse Accommodation Quantity:
3
Size Designator:
2
Duty Cycle:
Continuous
Mounting Configuration:
Four 17/32 in. Diameter holes for 1/2 in. Diameter mtg bolts on 14.880 in. By 10.240 in. Mtg ctr
Operating Voltage Characteristic:
Full
Horsepower Rating:
25.000
Actuator Voltage:
440.0 ac
Fuse Current Rating In Amps:
10.0
Load Protection Type:
Overload and undervoltage
Ambient Temp:
50.0 degrees celsius
Inclosure Feature:
Dripproof
National Electrical Manufacturers Association Standards Design:

Designed per nema std

NSN 6110-01-112-8890

Motor Controller - Page 2 of 2



Switch Functional Positions:
Fast and reset and slow and stop
Control Type:
Local
Features Provided:
Accessory location internal and circuit protection fuse
Phase:
Three
Special Features:
Shockproof per mil-s-901, grade a, class 1
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A541b0