NSN 6110-01-123-3240

Motor Starter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-123-3240

Speed Adjustments:
0 to full speed
Hazardous Locations/environmental Protection:
Dripproof and shock proof
Overall Length:
8.500 inches
Overall Height:
14.375 inches
Overall Width:
12.000 inches
Ac Voltage Rating:
440.0 volts
Frequency Rating:
60.0 hertz
Actuation Method:
Magnetic
Performance Type:
Automatic
Fuse Accommodation Quantity:
3
Size Designator:
0
Duty Cycle:
Continuous
Mounting Configuration:
Four 15/32 in. Diameter mtg holes for 7/16 in. Diameter mtg bolts on 12-3/8 in. By 10 in. Mtg ctr
Operating Voltage Characteristic:
Full
Actuator Voltage:
440.0 ac
Fuse Current Rating In Amps:
10.0
Load Protection Type:
Overload
Ambient Temp:
50.0 degrees celsius
Inclosure Feature:
Fully enclosed
National Electrical Manufacturers Association Standards Design:
Designed per nema std
Switch Functional Positions:

Close and emergency run and open and emergency close

NSN 6110-01-123-3240 Motor Starter - Page 2 of 2



Control Type:
Local
Features Provided:
Circuit protection fuse
Phase:
Three
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A541c0