

View Online at <https://aerobasegroup.com/nsn/6110-01-143-4891>

Speed Adjustments:

0 to full speed

Hazardous Locations/environmental Protection:

Shock proof

Overall Length:

6.440 inches

Overall Height:

15.300 inches

Overall Width:

11.740 inches

Ac Voltage Rating:

440.0 volts

Frequency Rating:

60.0 hertz

Actuation Method:

Magnetic

Performance Type:

Automatic and manual

Fuse Accommodation Quantity:

2

Size Designator:

1

Duty Cycle:

Continuous

Mounting Configuration:

Four 17/32 in. Diameter mtg holes on 13.380 in. By 8.240 in. Mtg ctr

Operating Voltage Characteristic:

Full

Horsepower Rating:

10.000

Actuator Voltage:

440.0 ac

Fuse Current Rating In Amps:

10.0

Load Protection Type:

Overload and undervoltage

Ambient Temp:

50.0 degrees celsius

Inclosure Feature:

Dripproof

National Electrical Manufacturers Association Standards Design:

Designed per nema std

Switch Functional Positions:

Emergency run and lower and raise and reset and stop

Control Type:

Local or remote

Features Provided:

Reversible and circuit protection fuse

Phase:

Three

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A541b0

Mil-std (military Standard):

Mil-c-2212 spec.