

View Online at <https://aerobasegroup.com/nsn/6110-01-147-6579>

**Speed Adjustments:**

0 to full speed

**Hazardous Locations/environmental Protection:**

Dripproof

**Overall Length:**

32.125 inches

**Overall Height:**

14.309 inches

**Overall Width:**

24.109 inches

**Ac Voltage Rating:**

440.0 volts

**Frequency Rating:**

60.0 hertz

**Actuation Method:**

Magnetic

**Performance Type:**

Manual

**Fuse Accommodation Quantity:**

3

**Size Designator:**

5

**Duty Cycle:**

Continuous

**Mounting Configuration:**

Eight 21/32 in. Diameter holes; rectangular arrangement; 2 rows of 4 ea; 7 in. C to c of interior holes; 6-3/4 in. C to c from end holes to interior holes; 30 in. Spacing between row center lines

**Operating Voltage Characteristic:**

Full

**Horsepower Rating:**

200.000

**Actuator Voltage:**

110.0 ac and 440.0 ac

**Fuse Current Rating In Amps:**

10.0

**Load Protection Type:**

Overload and undervoltage

**Ambient Temp:**

50.0 degrees celsius

**Inclosure Feature:**

Dripproof

**National Electrical Manufacturers Association Standards Design:**

Designed per nema std

**Switch Functional Positions:**

Emergency run and remote and reset and start and stop and local

**Control Type:**

Local or remote

**Phase:**

Three

**Special Features:**

Local or remote operation provided by selector switch

**Frequency In Hertz:**

60.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A541c0