

View Online at <https://aerobasegroup.com/nsn/6110-01-166-3857>

Speed Adjustments:

0 to full speed

Hazardous Locations/environmental Protection:

Dripproof

Overall Length:

26.125 inches

Overall Height:

12.760 inches

Overall Width:

18.100 inches

Ac Voltage Rating:

440.0 volts

Frequency Rating:

60.0 hertz

Actuation Method:

Magnetic

Performance Type:

Manual

Fuse Accommodation Quantity:

3

Size Designator:

5

Duty Cycle:

Continuous

Mounting Configuration:

Six 17/32 in. Diameter holes; rectangular pattern; 2 rows of 3 ea; 24 in. Cl to cl of rows; holes spaced 7-1/4 in. C to c

Operating Voltage Characteristic:

Full

Actuator Voltage:

440.0 ac

Fuse Current Rating In Amps:

10.0

Load Protection Type:

Undervoltage

Ambient Temp:

50.0 degrees celsius

Inclosure Feature:

Dripproof

National Electrical Manufacturers Association Standards Design:

Designed per nema std

Switch Functional Positions:

Start and stop

Control Type:

Local

Features Provided:

Circuit protection fuse

Phase:

Three

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A541c0

Mil-std (military Standard):

Mil-c-2212 spec.