NSN 6110-01-179-3669

Motor Starter - Page 1 of 2

Local



View Online at https://aerobasegroup.com/nsn/6110-01-179-3669

Speed Adjustments:
0 to full speed
Hazardous Locations/environmental Protection:
Dripproof
Overall Length:
19.820 inches
Overall Height:
8.920 inches
Overall Width:
11.380 inches
Ac Voltage Rating:
440.0 volts
Frequency Rating:
60.0 hertz
Actuation Method:
Magnetic
Performance Type:
Manual
Size Designator:
1
Duty Cycle:
Continuous
Mounting Configuration:
Four 17/32 in. Diameter holes; rectangular pattern; 8 in. By 17 in. Centers
Operating Voltage Characteristic:
Full
Horsepower Rating:
10.000
Actuator Voltage:
440.0 ac
Load Protection Type:
Overload and undervoltage
Ambient Temp:
50.0 degrees celsius
Inclosure Feature:
Dripproof
National Electrical Manufacturers Association Standards Design:
Designed per nema std
Switch Functional Positions:
Emergency run and start and stop
Control Type:

NSN 6110-01-179-3669

Motor Starter - Page 2 of 2

Phase:

Mil-c-2212 spec.



Three
Special Features:
Non magnetic construction; 110v control system
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A541c0
Mil-std (military Standard):