# NSN 6110-01-179-3669

Motor Starter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-179-3669

# **Speed Adjustments:**

0 to full speed

# Hazardous Locations/environmental Protection:

Dripproof

# **Overall Length:**

19.820 inches

### **Overall Height:**

8.920 inches

#### **Overall Width:**

11.380 inches

# Ac Voltage Rating:

440.0 volts

#### **Frequency Rating:**

60.0 hertz

#### **Actuation Method:**

Magnetic

Performance Type:

Manual

### Size Designator:

1

### Duty Cycle:

Continuous

### Mounting Configuration:

Four 17/32 in. Diameter holes; rectangular pattern; 8 in. By 17 in. Centers

#### **Operating Voltage Characteristic:**

Full

#### Horsepower Rating:

10.000

#### Actuator Voltage:

440.0 ac

#### Load Protection Type:

Overload and undervoltage

#### Ambient Temp:

50.0 degrees celsius

#### **Inclosure Feature:**

Dripproof

### National Electrical Manufacturers Association Standards Design:

Designed per nema std

### **Switch Functional Positions:**

Emergency run and start and stop

### **Control Type:**

Local

# NSN 6110-01-179-3669

Motor Starter - Page 2 of 2



Phase:

Three

## **Special Features:**

Non magnetic construction; 110v control system

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A541c0

Mil-std (military Standard):

Mil-c-2212 spec.