

View Online at <https://aerobasegroup.com/nsn/6110-01-189-6276>

Speed Adjustments:

Single speed

Hazardous Locations/environmental Protection:

Dripproof

Overall Length:

26.125 inches

Overall Height:

10.375 inches

Overall Width:

18.108 inches

Ac Voltage Rating:

110.0 volts

Frequency Rating:

60.0 hertz

Actuation Method:

Magnetic

Performance Type:

Manual

Duty Cycle:

Continuous

Mounting Configuration:

Six 17/32 in. Diameter holes; rectangular pattern; 2 rows 3 ea; 24 in. Cl to cl rows; holes spaced 7-1/4 in. C to c

Operating Voltage Characteristic:

Full

Actuator Voltage:

110.0 ac

Ambient Temp:

50.0 degrees celsius

Inclosure Feature:

Dripproof

National Electrical Manufacturers Association Standards Design:

Not designed per nema std

Switch Functional Positions:

No. 1 and no. 2 and start and stop and test

Control Type:

Local

Features Provided:

Reversible

Phase:

Single

Special Features:

Selector switch provides for extension and retraction of no. 1 and no. 2 secondary propulsion motors

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A541b0