## NSN 6110-01-211-5555

Motor Controller - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6110-01-211-5555

## Speed Adjustments:

Two speed

#### Hazardous Locations/environmental Protection:

Dripproof

### **Overall Length:**

40.000 inches

#### **Overall Height:**

12.000 inches

#### **Overall Width:**

30.000 inches

#### Ac Voltage Rating:

440.0 volts

#### **Frequency Rating:**

60.0 hertz

#### **Actuation Method:**

Magnetic

#### Fuse Accommodation Quantity:

2

#### Size Designator:

3/2

#### Duty Cycle:

Continuous

#### Mounting Configuration:

Eight 15/32 in. Diameter mtg holes on 38.000 in. By 28.500 in. Mtg ctr

#### **Operating Voltage Characteristic:**

Full

#### Actuator Voltage:

440.0 ac

#### **Fuse Current Rating In Amps:**

10.0

## Load Protection Type:

Overload

#### Ambient Temp:

50.0 degrees celsius

#### Inclosure Feature:

Dripproof

## National Electrical Manufacturers Association Standards Design:

Designed per nema std

## **Switch Functional Positions:**

Emergency run and fast and slow

#### **Control Type:**

Local or remote

# NSN 6110-01-211-5555

Motor Controller - Page 2 of 2

Features Provided:

Reversible and circuit protection fuse

Phase:

Three

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A541b0

